

**VELUX®**

Skylights & Sun Tunnels

## Residential Skylights & Sun Tunnel Skylights

New  
Colour Blinds  
Available



# Contents

## Why VELUX?

- 3 VELUX Commitment
- 4 Colour blinds now available
- 6 Dramatic rooms with health benefits and fresh air!

## How to Choose

- 8 Project Requirements
- 10 Consider Roofing Design
- 11 Detailed Product Overview

## Products

- 12 The No Leak Skylight™
  - Deck Mounted Skylights
- 18 Roof Windows
- 20 Curb Mounted Skylights
- 22 Sun Tunnel Skylights
  - Rigid Models
  - Flexible Models
- 25 Flashing Systems

## Blinds, Glass & Accessories

- 28 Why Blinds?
- 30 Accessories
- 32 Warranty & VELUX Glass

## Sizes

- 34 Deck Mounted Models
- 35 Curb Mounted Models
- 35 Sun Tunnel Skylights

# Why VELUX?



## VELUX Commitment

**Our commitment is to ensure a worry free skylight experience and that our support goes beyond our product performance and warranty; we also offer:**

- Bilingual customer service staff
- Local Canadian offices with showroom and support in Oakville, ON and Port Coquitlam, BC
- National list of VELUX certified installers and skylight specialists available online at [www.velux.ca](http://www.velux.ca)
- Installers trained and certified by VELUX provide peace of mind installation and a minimum 5 year warranty on their installations

By choosing VELUX Skylights and Sun Tunnels, you are choosing the brand that delivers the highest quality and most reliable products on the market. To see how a skylight can transform your home, download the VELUX Skylight Planner on your smartphone from [www.velux.ca](http://www.velux.ca).



Designed for all  
Canadian climates

# Why VELUX? Blinds



## NEW! Colour blinds now available

Make a design statement with VELUX skylights and blinds



### Sunscreening accessories for comfort and style

VELUX blinds are an ideal way to control the amount of daylight entering the home. They can also help provide added heat control to create comfortable indoor environments.

An array of colour blinds are now available for skylights. Imagine the endless opportunities for creating spectacular environments with natural light and a décor statement with new sun shading accessories from VELUX.



*fantin*

Ask about our pre-installed blind option: Have your skylight delivered with a blind pre-installed, simplifying installation while providing instant light control and additional beauty.

# Blind installation options

---

## Pick & Click!



## Pre-installed



### Pick & Click!®

Pre-mounted brackets make installation of blinds a snap. Simply choose a blind and snap into place.

Choose to have your blinds pre-installed by VELUX for an additional \$25 per skylight.

## Available colours

---

### Blackout blind options



*Karim*  
Karim pink



*Karim*  
Karim grey



Dark Blue



Beige



White


### Roller blind options



Dark Blue



Beige



White

# Why VELUX?

## Dramatic rooms with health benefits and fresh air!

Including VELUX skylights and Sun Tunnels in your renovation or new home design adds beauty as well as value. Skylights and Sun Tunnels create an architectural statement that will bring drama to any room.

The health benefits of having abundant natural light and fresh air in indoor environments are well documented. People generally feel better, are more energetic, more focused and sleep better.

Natural ventilation allows fresh air to circulate through the home. An open skylight can take advantage of the stack effect which releases hot air accumulating at the ceiling while bringing cooler, fresh air in through windows. Introducing cooler air in the home also reduces the need for air conditioning.



## Healthy Environments & Ventilation

Venting skylights open to produce a “passive air conditioner”, reducing electrical needs for A/C. Through the chimney effect, warm stale air is drawn up and out through the venting skylight providing a cooling effect and fresh air throughout the house.



### Model Recommendation


Electric Venting Skylight with Remote Control

#### TIP:

Benefit from ventilation by alternating venting and fixed models when installing multiple skylights.

## Reduce Electrical Consumption

Skylights cut down the need for electric lighting. Skylights provide 100% more natural light than vertical windows and 200% more than dormers.



### Model Recommendation

Fixed Skylights

#### TIP:

Consider adding blinds in order to control the amount of daylight entering the home throughout the day.

## Function & Privacy

Skylights provide abundant natural light that transforms conventional rooms into splendid spaces while adding value to your home. They also provide privacy and natural light in bathrooms, especially in areas where homes are built close together.




### Model Recommendation

Sun Tunnel Skylights

#### TIP:

Sun Tunnels are ideal for smaller spaces.

# How to Choose by Project Requirements



## New Home or Renovation

### Deck Mounted Skylights

When starting a new project consider using deck mounted skylights.

**Models:** VSE | VS | FS

- The No Leak Skylight™ with 3 layers of water protection for years of leak proof performance
- Pre-painted white frames save time and money
- Energy Star® approved

### Specialty Deck Mounted Skylights

Designed specifically for replacing old non-VELUX skylights (FSR) or for new home construction with trusses (FS Truss).

**Models:** FSR | FS Truss

- FSR series ideal for replacing skylights (such as self-flashed) with little interior work needed
- FS Truss series designed to specifically work with 24" on center truss roofs
- Energy Star® approved



## Replacement Project

### **Curb Mounted Skylights**

Provides a quick and easy solution for replacing plastic bubbles with quality glass VELUX skylights.

**Models:** VCE | VCM | FCM

- Ideal energy efficient upgrade
- Easily fits over existing curbs
- Custom sizes available (FCM only)

## Small Space Project

### **Sun Tunnel Skylights**

Ideal for small rooms where a skylight is not an option.

**Models:** TMR | TGR | TCR  
TMF | TGF

- Installs quickly and easily and delivers abundant natural light
- 10 Year Warranty on manufacturer defects
- Optional light kit available for night time use.

# How to Choose

## Consider Roofing Design

---

Your ceiling style and framing configuration determines how your skylight shaft can be constructed. The skylight shaft can have a major impact on the way daylight is delivered and on the architectural drama of your room.

### Light shaft and installation techniques



#### Flat Ceilings

A light shaft lets natural light into rooms with flat ceilings and sloped roofs.



#### Cathedral Ceilings

Skylights installed in high sloped ceilings add visual space and create architectural drama.



#### Flat Or Low-Sloped Roofs

Roof curbs allow skylights to be installed on flat or low-sloped roofs.



#### Sloped Walls

A flared light shaft spreads sunlight across rooms with sloped walls.

---

### Roof Construction Techniques



#### Rafters

For homes built with rafters typically 16" on center, VELUX offers an array of suitable widths including 15 <sup>5</sup>/<sub>16</sub>" and 30 <sup>9</sup>/<sub>16</sub>".



#### Trusses

For homes built with trusses typically 24" on center, VELUX offers skylights with widths of 21 <sup>1</sup>/<sub>2</sub>", 23 <sup>5</sup>/<sub>16</sub>" and 44 <sup>3</sup>/<sub>4</sub>", which are specifically designed to fit between trusses.

# How to Choose

## Detailed Product Overview

---



### Deck mounted installation – Preferred installation method

Skylight with insulated glass lens, built-in wood frame combined with protective cladding mounts directly to the roof deck.

Engineered flashings integrate with roofing material to provide the most weathertight installation available (sold separately).



### Curb mounted installation

Skylight with insulated glass lens, combined with a durable metal frame; underside rubber gasket allows mounting directly to a site-built curb without sealants. Also ideal for flat roof applications.

Matched engineered flashings are available for stock sizes to fit site-built curbs and integrate with roofing material for a weathertight installation (sold separately).

**Note:** VELUX manufactures an energy efficient curb mount skylight. However the site built curb compromises Energy Star® ratings.



### Sun Tunnel Skylight installation

VELUX Sun Tunnel Skylights with UV resistant dome and diffuser, reflective tunnel, and one-piece flashing system; mounts to the roof deck.

Proven to provide consistent, long-term, natural light with patented design features that make installation from roof to ceiling easier than ever before.





# Deck Mounted Skylights Absolutely Watertight

## The No Leak Skylight™

• No Leak Promise • No Worries

\*For more information about the no leak skylight, visit [www.thenoleakskylight.com](http://www.thenoleakskylight.com)

The VELUX deck mounted product family is designated **The No Leak Skylight™**. It carries a warranty of 20 years on glass, 10 years on parts and labour, and 5 years on blinds and controls. Features include:

- 3 layers of water protection.
- Advanced LoE<sup>3</sup> glass for better energy efficiency, higher visible light transmittance, and improved solar heat gain performance.
- Pre-finished interior white frames and sashes.
- Low roof profile with a curved architectural design.
- Neutral grey exterior roof cladding blends with most roof materials.
- Integrated gaskets drain condensation to the outside.

### 3 Layers of Water Protection

#### 1. Deck Seal


The pre-attached deck seal provides a seal between the frame and roof deck preventing water and air infiltration.

#### 2. Improved Roofing Underlayment

Adhesive underlayment for secondary water protection against the harshest weather conditions.

#### 3. Improved Step Flashing

Engineered flashing for easy installation and primary water protection. Proven to be the best on the market.



# Deck Mounted Skylights

Ideal for renovations  
and new homes



## The No Leak Skylight™

• No Leak Promise • No Worries



# Deck Mounted Models

## VSE | Electric Venting Skylight



The perfect daylighting solution for overhead applications. The VSE brings in abundant natural light and opens to let in fresh air with the touch of a button. Includes rain sensors that close the skylight automatically in case of rain.

- Ideal for kitchens, bathrooms or any other room requiring ventilation.
- Self programming RF (radio frequency) remote with advanced control options included.
- Insect screen included.
- Single hard wire connects into a standard junction box.
- Provides years of reliable watertight performance with 3 layers of water protection.
- Superior LoE<sup>3</sup> glass coating provides heat control for year-round comfort and energy savings.
- Pre-wired **Pick&Click!**<sup>®1</sup> brackets for simple blind installation or order blinds pre-installed.
- Engineered flashing kit sold separately.

# Deck Mounted Models

## VS | Manual Venting Skylight



An economical solution for bringing abundant natural light and fresh air into the home, the VS manual venting skylight also contributes to a home's proper moisture balance and comfort level by allowing stale, humid air to be released.

- Ideal for kitchens, bathrooms or any other room requiring ventilation.
- Opens and closes manually with VELUX control rods when out of reach or handle when within reach (sold separately)\*.
- Insect screen included.
- Provides years of reliable watertight performance with 3 layers of water protection.
- Superior LoE<sup>3</sup> glass coating provides heat control for year-round comfort and energy savings.
- Pre-wired **Pick&Click!**<sup>®1</sup> brackets for simple blind installation or order blinds pre-installed.
- Engineered flashing kit sold separately.

\*See page 30 for control accessory options.

## FS | Fixed Skylight



An economical choice for visually expanding dark areas that can be transformed with daylight and sky views.

- Ideal for hallways, stairwells or other closed-in dark spaces.
- Provides years of reliable watertight performance with 3 layers of water protection.
- Superior LoE<sup>3</sup> glass coating provides heat control for year-round comfort and energy savings.
- Pre-wired **Pick&Click!**<sup>®</sup> brackets for simple blind installation or order blinds pre-installed.
- FSR model is designed to match existing construction with little interior trim needed.
- Engineered flashing kit sold separately.

# Roof Windows

For within reach applications



# Roof Window Models



## GGU | Pivoting Roof Window



- For within reach installations such as attics and bonus rooms.
- Ventilation flap opens for limited ventilation.
- Window swivels 180° in its frame for easy and safe cleaning.
- Timber core with moulded white polyurethane finish.
- Optional insect screen available.

## GPU | Top Hinged Roof Window



- Opens to a 45° angle to satisfy egress requirements for emergency escape (check with local building code).
- Provides a dramatic, uninterrupted view.
- Window rotates 180° and locks in place for easy and safe cleaning of outer pane.
- Timber core with moulded white polyurethane finish.
- Ventilation flap opens for limited ventilation.
- Optional insect screen available.

# Curb Mounted Skylights

Ideal for Replacement Projects



# Curb Mounted Models

## VCE | Electric Venting Skylight

Mounted on a site built curb, the VCE brings in abundant natural light and opens with the touch of a button to let in fresh air and closes automatically in case of rain.



- Programmable RF remote with advanced control options included.
- Single hard wire connects into a standard junction box.
- Insect screen included.
- Pre-installed **Pick&Click!**<sup>®</sup> brackets for blinds.

## VCM | Manual Venting Skylight

Mounted on a site built curb, the VCM is an economical solution for bringing natural light and fresh air into the home.



- Open and close manually with VELUX control rods when out of reach or handle when within reach (sold separately).
- Insect screen included.
- Pre-installed **Pick&Click!**<sup>®</sup> brackets for blinds.

## FCM | Fixed Skylight

The FCM curb mounted fixed skylight is sized to work with most types of site-built curbs, whether they're slightly out-of-square, pre-existing, or surrounded by unusually thick flashing and roofing material.



- Integrated gasket provides a thermal break for energy efficiency and seals out water, wind and hassles for years.
- Wide range of stock and custom sizes available.
- Optional sunscreen accessory tray for standard site-built curbs allows for installation of VELUX **Pick&Click!**<sup>®</sup> blinds.

# Sun Tunnel Skylights

Ideal for Small Spaces



Before

# Complete Roof-to-Ceiling Daylighting System



## Features & Benefits

- An energy efficient source of bright natural light
- Superior weatherability
- Easy and fast installation
- Dual frosted diffuser provides even light distribution, preventing hot spots
- 10 year warranty against manufacturer's defects, rust, corrosion and deterioration.

## Rigid Models – Maximum light output

The rigid Sun Tunnel Skylight features a highly reflective tunnel that provides brighter, whiter natural light output in any application. This makes the rigid Sun Tunnel Skylight great for most applications, even those with long tunnel runs or in areas with less sunlight.

- 4' of tunnel included in 10" kit (14' max length)
  - 4' of tunnel included in 14" kit (18' max length)
  - 14" TCR model available for flat roof applications.
- Contact VELUX for details.

### TMR | Rigid pitched flashing units



- Pitched flashing provides optimum angle for gathering light from all directions.
- For installation on all roof exposures.
- Available in 10" and 14".



### TGR | Rigid low profile flashing units



- Low profile flashing provides an integrated look with the roofline.
- Ideal for South facing roofs.
- Available in 10" and 14".



## Optional Accessories – For both models

### ZTL | Electric light kit



Allows you to use the Sun Tunnel Skylight as a light source even at night.

### ZTK | Lightblock Shade (manual)



Allows you to block the light emitted by the Sun Tunnel Skylight.

# Flexible Models – Easily installed

The flexible Sun Tunnel Skylight can be installed quickly around attic obstructions, making it the easiest tubular product to install.

- 8' of tunnel included in 14" kit (8' max length)
- 6' of tunnel included in 21" kit (12' max length)

## TMF | Flexible pitched flashing units



- Pitched flashing provides optimum angle for gathering light from all directions.
- For installation on all roof exposures.
- Available in 14" only.



## TGF | Flexible low profile flashing units



- Low profile flashing provides an integrated look with the roofline.
- Ideal for South facing roofs.
- Available in 14" or 21".



## ZTB | Lovegrove lamp



The Sun Tunnel lamp by Lovegrove works to softly distribute natural light throughout your room. Winner of 2010 red dot award.

## TLR | Flat glass flashing



Low profile glass design creates sleek appearance on any roofline. Available in 14" rigid model only. Ideal for South facing roofs.

# Flashing Systems



Engineered flashing is required for leak-proof performance on all skylights. Flashing kits are available for all models of VELUX skylights and help make installation easy and ensure water protection. The deck mounted flashing kit includes adhesive underlayment and step flashing for the 2nd and 3rd layers of protection.





### Shingles/shakes

- Step flashing pieces interweave with roofing material for proper water drainage.
- Additional step pieces (ZZZ 200) are required for shakes and other thick roofing materials.
- For deck mounted (EDL) or curb mounted (ECL) skylights.

### Metal roofing panels

- Flashing pieces interlock with roofing material for a fast, weathertight installation.
- Sill apron features pliable pleats that form to the roof.
- For deck mounted (EDM) skylights.

### Tile roofing & interlocking roofing

- Patented sill flashing features pliable pleats that form to most types of tile.
- Side and head flashing pieces form a gutter to direct water away from the skylight.
- For deck mounted (EDW) or curb mounted (ECW) skylights.



### For combi applications

- Can be used to install multiple skylights in groups for dramatic results.
- Only manufacturer to offer flashing for grouped skylights with under 12" of space.
- See dealer or VELUX Price List for details.



### Deck mount low slope flashing - ECB

- Required when installing a deck mount skylight on a flat or low slope roof.
- Contact VELUX for curb drawing.

# Why Blinds ?



Blinds are an ideal way to control the amount of daylight entering the home and help provide added heat control. (FCM model requires Accessory Tray). All VELUX skylights come with pre-installed **Pick&Click!**<sup>®</sup> brackets; for simplified blind installation.



# Blind Options

## Blackout Blind



- Blackout blind blocks the light.
- Available in solar, electric or manual operation.
- Reduces light by 98%.
- **Colour:** White, Beige, Dark Blue, Karim Pink and Karim Grey

## Roller Blind



- Roller blind helps diffuse the light.
- Available in solar, electric or manual operation.
- Reduces light by 70%.
- **Colour:** White, Beige and Dark Blue

## Venetian Blind



- Venetian blind offers the most control over direction and amount of light.
- Available in electric or manual operation.
- Reduces light by 91%.
- **Colour:** White

## Solar Powered Blind



- Blind is powered by a battery charged by solar cells.
- No wiring required, simply snap into place.
- Operated using keypad (included).
- Available in blackout or roller.

Available for most models. Call VELUX for details.

# Accessories

---



## KLR 100 | Advanced RF (radio frequency) remote

Advanced RF technology allows the user to operate skylights and blinds from anywhere within the house.

- Operate skylights and blinds individually or as part of a group.
- Create programs to control the skylight and blind automatically based on time of day, day of the week, or month of the year.
- Set the skylight to close automatically after a certain period of time after opening.



## KLI 110 | RF keypad

Simple operation of skylights and blinds.

- RF technology allows the user to operate skylights and blinds from anywhere in the room.
- Operates wirelessly.
- Can be wall mounted.



## ZZZ 199 | Sunscreening Accessory Tray

(Required for FCM models only)

The tray has **Pick&Click!**<sup>®</sup> brackets built in to provide access to a wide range of blinds and controls for fixed curb mount skylights.

- Installation of the sunscreening accessory tray is fast and easy.
- It can be installed in new or existing applications.



### **KLF 100 | Home automation integration kit**

Provides two advanced functions: it acts as a repeater that extends the RF range for large spaces as well as an interface unit which allows operation via external systems in your home.



### **KLB 100 | Battery backup**

Allows limited operation of VSE and VCE skylights during a power failure.



### **ZXT 200 | 3'–6' telescopic rod**

A telescopic rod for operation of manual blinds out of reach.



### **ZCT 300 | 6'–10' telescopic rod**

A telescopic rod operates manual venting skylights with a smooth-turning operation.



### **ZZZ 201 | Crank handle**

A crank handle that operates within reach manual venting skylights.

# Warranty Summary

This Warranty applies to products manufactured as of January 1st, 2010.

## VELUX Skylights & Roof Windows

**10 YEARS:** Parts and labour\* for defective skylights, roof windows and flashings.

**20 YEARS:** Parts (labour not included) on seal failure (moisture between glass panes).

## VELUX Solar Water Heating System


**10 YEARS:** Parts on collectors (labour not included)

**5 YEARS:** Parts on tank and components (labour not included)

# VELUX Glass

Advanced LoE<sup>3</sup> protective coating provides maximum daylight and heat control for year-round comfort and energy savings. 20 year warranty on seal failure included. ComfortPlus glass for roof windows includes a single layer of LoE.

## Glass Option



**Comfort glass** consists of tempered safety glass triple-coated with LoE, dual-sealed and injected with Argon gas. This quality glass provides excellent energy efficiency, thermal performance and protects against the sun's fade-causing UV rays.



**ComfortPlus glass** consists of tempered safety glass triple-coated with LoE, dual-sealed and injected with Argon gas; Plus a laminated pane for added safety and protection from fade-causing UV rays.



**EnergyPlus glass** consists of tempered safety glass over an interior pane of thicker laminated, LoE<sup>3</sup>, argon-gas filled glass designed for safety and energy efficiency providing three times more protection against solar heat gain.

Other glazings available - call for details

Please contact VELUX for warranty information for product manufactured prior to 2010.

### VELUX Sun Tunnel Skylights

**10 YEARS:** Parts and labour\* (corrosion and deterioration).

### VELUX Electrical Systems, Sunscreening Accessories & Commercial Skylights

**5 YEARS:** Parts (labour not included) for electrical systems and sunscreening accessories.

\* Limited labour warranty, contact VELUX for details.

## Benefits of VELUX Glass

Comfort, ComfortPlus\* and EnergyPlus\* glass

		Comfort Glass	ComfortPlus Glass*	EnergyPlus Glass*
<b>Heat gain:</b> Ensure indoor comfort during summer months.		●	●	●
<b>Heat loss:</b> Provide insulation to retain indoor heat for energy savings.		●	●	●
<b>Total Fading:</b> Protect interiors from the sun's fade-causing rays.		79%	83%	83%
<b>UV Protection</b>		95%	99%	99%
<b>Safety:</b> Laminated inner pane for safety and security.			●	●
<b>Sound:</b> Insulation against outdoor noise.			●	●

\*Thicker laminated pane provides additional safety and sound protection.

# Sizes

## Deck Mounted Models

VSE | Electric Venting Skylight

VS | Manual Venting Skylight

Size code	Outside frame (W" x H")	Rough opening (W" x H")
C01	21 1/2 x 27 3/8	21 x 26 7/8
C04	21 1/2 x 38 3/8	21 x 37 7/8
C06	21 1/2 x 46 1/4	21 x 45 3/4
C08	21 1/2 x 54 15/16	21 x 54 7/16
M04	30 9/16 x 38 3/8	30 1/16 x 37 7/8
M06	30 9/16 x 46 1/4	30 1/16 x 45 3/4
M08	30 9/16 x 54 15/16	30 1/16 x 54 7/16
S01	44 3/4 x 27 3/8	44 1/4 x 26 7/8
S06	44 3/4 x 46 1/4	44 1/4 x 45 3/4

## FS | Fixed Skylight

Size code	Outside frame (W" x H")	Rough opening (W" x H")
A06	15 1/4 x 46 1/4	14 1/2 x 45 3/4
C01	21 1/2 x 27 3/8	21 x 26 7/8
C04	21 1/2 x 38 3/8	21 x 37 7/8
C06	21 1/2 x 46 1/4	21 x 45 3/4
C08	21 1/2 x 54 15/16	21 x 54 7/16
C12	21 1/2 x 70 3/4	21 x 70 1/4
D26*	23 1/4 x 23 7/16	22 1/2 x 22 15/16
D06*	23 1/4 x 46 1/4	22 1/2 x 45 3/4
M02	30 9/16 x 30 1/2	30 1/16 x 30
M04	30 9/16 x 38 3/8	30 1/16 x 37 7/8
M06	30 9/16 x 46 1/4	30 1/16 x 45 3/4
M08	30 9/16 x 54 15/16	30 1/16 x 54 7/16
S01	44 3/4 x 27 3/8	44 1/4 x 26 7/8
S06	44 3/4 x 46 1/4	44 1/4 x 45 3/4

\*FS truss series. Also available in FSR model.

## Curb Mounted Models

VCE | Electric Venting Skylight  
VCM | Manual Venting Skylight

Size code	Inside curb (W" x H")	Outside curb (W" x H")
2222	22½ x 22½	25½ x 25½
2234	22½ x 34½	25½ x 37½
2246	22½ x 46½	25½ x 49½
3030	30½ x 30½	33½ x 33½
3046	30½ x 46½	33½ x 49½
3434	34½ x 34½	37½ x 37½
4646	46½ x 46½	49½ x 49½

FCM | Fixed Skylight (Can be turned sideways)

Size code	Inside curb (W" x H")	Outside curb (W" x H")
1430	14½ x 30½	17½ x 33½
1446	14½ x 46½	17½ x 49½
2222	22½ x 22½	25½ x 25½
2230	22½ x 30½	25½ x 33½
2234	22½ x 34½	25½ x 37½
2246	22½ x 46½	25½ x 49½
2270	22½ x 70½	25½ x 73½
3030	30½ x 30½	33½ x 33½
3046	30½ x 46½	33½ x 49½
3434	34½ x 34½	37½ x 37½
4646	46½ x 46½	49½ x 49½

## Sun Tunnel Skylights

10"  
Diameter

14"  
Diameter

21"  
Diameter

# VELUX®

*Bringing light to life™*

## Need an installer?

Call or visit our website to find  
a **VELUX Certified Installer**  
close to you.

Head Office  
VELUX Canada Inc.  
2740 Sherwood Heights Dr.  
Oakville, ON  
L6J 7V5

Western Office  
VELUX Canada Inc.  
#305-1515 Broadway St.  
Port Coquitlam, BC  
V3C 6M2

Phone: 1 800-888-3589  
Fax: 1 800-898-3589

Web: [www.velux.ca](http://www.velux.ca)  
Email: [velux-cdn@velux.com](mailto:velux-cdn@velux.com)

V-CDN-0512

©2012 VELUX Group

®VELUX, VELUX logo are registered trademarks